SPECIFICATIONS

1900 Degree Insulation Cement is a product composed of mineral fiber, binders, and corrosion inhibiting agents blended to give maximum coverage with minimal shrinkage. Excellent adhesion leads to ease of application. High Temeperature 1900 cement is highly efficient, durable all purpose, high temperaturei nsulating cement for temperatures up to 1900°F. The cement is formulated from mineral wool fibers prepared by a proprietary process into a resilient pellet and blended with high temperature inorganic refractory minerals.

Specification	on "K" Factor		Factor
		MEAN TEMP.	"K"
ASTM	C-195-64	200°F	0.51
Federal	SS-C-160 Type III, GRADE U	400°F	0.64
Military	MIL-C-2861 C and MIL-I-24244*	600°F	0.78
Comm. Std.	CS-117-49	800°F	0.99
*requires certification	n and chemical analysis		

PHYSICAL AND MECHANICAL CHARACTERISTICS		
Service Temperature	Up to 1900°F	
Coverage (Dry)	Approx. 40 bd. ft/100 lbs.	
Density (Installed	27 lbs. per cu. ft.	
Volumetric Shrinkage (Wet to Dry)	Less than 25%	
Water/Cement Ratio (By Weight)	1½ / 1 (9 to 10 gal./50 lb.)	
Compressive strength (At 10% Deformation)	10 psi	
Corrosion (Steel)	None - Rust Inhibited	
Fire Resistance	Non-combustible	
Fire Hazzard Classifications do not exceed:	Tested in accordance with ASTM E-84	
Flame Spread	25	
Fuel Contributed	50	
Smoke Developed	50	
Packaging - Multi-wall paper bags	45 lbs.	

WARNING: Dust particles of this cement in dry room may be harmful to your health - we recommend the use of a dust respirator. This product does not contain asbestos fibers.

Subject to price change and availability.

Revised 0113

For more information on GLT Products, please call toll-free at 800.874.1748 or online at www.gltproducts.com.



HEADQUARTERS:

6810 Cochran Road | Solon OH 44139 | 440.914.1122 | 440.914.1133 Fax | **1.800.874.1748**

DISTRIBUTION CENTERS:

Ohio: 6810 Cochran Road | Solon OH 44139 | 440.914.1122

 North Carolina:
 501 West Camel Street | Greensboro, NC 27401 | 1.800.551.9760

 California:
 4113 Gold River Lane | Stockton, CA 95215 | 1.800.833.4500

 Texas:
 8905 Market Street | Houston, TX 77029 | 1.800.874.1748