

Date Issued: 01/24/2019 **Date Revised:** 01/14/2021

PTFE COATED GLASS SEWING THREAD

1. PRODUCT IDENTIFICATION

PRODUCT NUMBER / SERIES: D-18, D-24

PRODUCT DESCRIPTION: PTFE Coated Glass Sewing Thread

PHYSICAL APPEARANCE: Solid continuous thread of various color with no odor. Material is insoluble, chemically inert, and non-

biodegradable.

USE OF PRODUCT: Sewing

RESTRICTIONS ON USE: N/A

DISTRIBUTOR: 1-800-874-1748 (8:00 am to 5:00 pm ET, weekdays)

GLT PRODUCTS 6810 COCHRAN ROAD SOLON OH 44139

CONTACT: Information Phone:

1-800-874-1748 (8:00 am to 5:00 pm ET, weekdays)

E-MAIL: info@gltproducts.com

EMERGENCY PHONE NUMBER: 1-800-874-1748 (M-F 8:30 to 5:00)

DESCRIPTION: No Hazard Rating is available for this product.

2. HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION: NA

SIGNAL WORD: N/A

HAZARD STATEMENT: N/A

PICTOGRAMS: N/A

PRECAUTIONARY STATEMENT: Inhalation of the thermal decomposition products, arising from high temperature or fire, is hazardous

to health. Contamination of tobacco products must be avoided.

POTENTIAL HAZARDS:

SKIN: Cutting or abrading material may produce small amounts of glass fiber particulates which may cause skin irritation. Frequent or prolonged contact may irritate dermatitis.

EYES: Slightly irritating but does not injure eye tissue.

INHALATION: Inhalation of fumes from burning or heating above 300 C can cause polymer fume fever.

INGESTION: Not a likely route of entry. Ingestion can cause gastrointestinal tract irritation.

3. COMPOSITION AND INGREDIENT INFORMATION

INGREDIENT NAME	CAS#	WEIGHT %
Polytetrafluoroethylene (PTFE)	9002-84-0	10–20%
Glass fiber	65997-17-3	70-85%



Date Issued: 01/24/2019 **Date Revised:** 01/14/2021

PTFE COATED GLASS SEWING THREAD

4. FIRST AID MEASURES

SKIN: Not normally considered hazardous, if irritation occurs wash thoroughly with soap and water, if irritation persists consult a physician.

EYES: Not normally considered hazardous, if irritation occurs flush with water, if irritation persists consult a physician.

INHALATION: N/A for material as supplied at room temperature and used as intended. Processing at high temperature may generate fumes which can cause flu-like symptoms. Remove to fresh air, consult physician if severe.

INGESTION: If swallowed consult a physician. Do not induce vomiting unless instructed to do so by a physician.

MOST IMPORTANT SYMPTOMS AND EFFECTS: Polymer Flu Fever. Inhalation of the thermal decomposition products, arising from high temperature or fire will cause flu like symptoms. Symptoms may be delayed several hours.

5. FIREFIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Use media appropriate to primary source of fire.

SPECIFIC HAZARDS DURING FIRE-FIGHTING: Flashpoint of lubricant is 660°F. Decomposition products will burn at about 1250°F, producing toxic and corrosive gaseous products.

SPECIAL PROTECTIVE EQUIPMENT: Wear self-contained breathing apparatus and protective suit. Wear neoprene gloves during cleaning up work after a fire.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: N/A Solid material

ENVIRONMENTAL PRECAUTIONS: N/A Solid Material

METHODS & MATERIALS FOR CLEANUP: Collect with hands, broom, shovel, and/or vacuum.

7. HANDLING AND STORAGE

Store and handle using good warehouse practices. Avoid contamination of tobacco products.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

ENGINEERING CONTROLS: NA

PERSONAL PROTECTIVE EQUIPMENT: Use appropriate NIOSH-approved respirator in the presence of dust or decomposition fumes

EYE AND FACE: Use of safety glasses is recommended

HANDS, ARM, AND BODY: Material is small in diameter yet relatively strong, and can produce cuts, particularly if being rewound or transferred at a high speed.

EXPOSURE GUIDELINES

INGREDIENT NAME	ACGIH TLV mg/m³	OSHA PEL mg/m³		
Polytetrafluoroethylene (PNOC)				
Particulates Not Otherwise Classified	15 (total dust)	10 (inhalable fraction)		
	5 (respirable fraction)	3 (respirable fraction)		
Fibrous glass dust	15 (total dust)	5 (inhalable fraction)		
	5 (respirable dust) 3 (PNOC)			

HYGIENE MEASURES: Wash hands immediately after handling, do not contaminate tobacco products.



Date Issued: 01/24/2019 **Date Revised:** 01/14/2021

PTFE COATED GLASS SEWING THREAD

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Solid continuous sewing thread of various colors **UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:** N/A

ODOR: None

VAPOR PRESSURE: N/A
ODOR THRESHOLD: N/A
VAPOR DENSITY: N/A

PH: N/A

RELATIVE DENSITY: N/A

MELTING POINT / FREEZING POINT: N/A

SOLUBILITY: Insoluble

INITIAL BOILING POINT & BOILING RANGE: N/A

FLASH POINT: N/A

EVAPORATION RATE: N/A

DECOMPOSITION TEMPERATURE: 300°C

VISCOSITY: N/A

10. STABILITY AND REACTIVITY

REACTIVITY: Stable at normal ambient temperature and pressure

CHEMICAL STABILITY: Stable

INCOMPATIBILITIES: Strong oxidizers, acids, and bases.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may produce toxic and corrosive gaseous products.

HAZARDOUS POLYMERIZATIONS: Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

IMMEDIATE (ACUTE) EFFECTS: No acute effects have been identified. **DELAYED EFFECTS:** No delayed or chronic effects have been identified.

OTHER DATA: NA

12. ECOLOGICAL INFORMATION

No ecological information is available for this material.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Material as supplied is not a hazardous waste according to RCRA. Landfill according to current federal, state, and local regulations, or incinerate in a high-temperature incinerator designed to burn fluoride-containing materials. Processing, use or contamination may make this information inaccurate or incomplete.

14. TRANSPORTATION INFORMATION

US DOT Hazard Class: NA US DOT ID Number: NA



Date Issued: 01/24/2019 **Date Revised:** 01/14/2021

PTFE COATED GLASS SEWING THREAD

15. REGULATORY INFORMATION

TSCA STATUS: Each ingredient is on the inventory

NRS STATUS (CANADA) EACH INGREDIENT IS ON THE DSL

SARA TITLE III:

HAZARD CATEGORIES:

ACUTE HEALTH: yes

CHRONIC HEALTH: no

FIRE: no

PRESSURE HAZARD: no

REACTIVITY: no

REPORTABLE INGREDIENTS:

SEC. 313: none SEC. 302: none

CALIFORNIA PROP 65: This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

CURRENT ISSUE/REVIEW DATE: January 24, 2019

The information herein is given in good faith but no warranty, expressed or implied is made. This information gives typical properties only and is not to be used for specification purposes.