

Page 1 of 6

FOSTER 46-00 802328PM

SAFETY DATA SHEET

REVISION DATE: 05-07-2015

SUPERSEDES: 12-18-2014

SECTION 1: IDENTIFICATION OF THE PRODUCT AND SUPPLIER

PRODUCT INFORMATION

PRODUCT: PRODUCT DESCRIPTION: INTENDED USE: PRODUCT IDENTIFIER: FOSTER 46-00 Mastic Adhesive 802328PM

COMPANY INFORMATION

H.B. Fuller Construction Products Inc. 1105 S. Frontenac Street Aurora, IL 60504 Phone: 1-800-552-6225

> Medical Emergency Phone Number (24 Hours): 1-888-853-1758 Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

| GHS Hazard Symbols: | |
|-------------------------|---|
| GHS Classification: | Hazardous to the aquatic environment - Acute Category 2; Hazardous to the aquatic environment - Chronic Category 2 |
| GHS Hazard Phrases: | May cause harm to breast-fed children.; Toxic to aquatic life; Toxic to aquatic life with long lasting effects. |
| GHS Precautions: | |
| Safety Precautions: | Obtain special instructions before use. Do not breathe |
| - | dust/fume/gas/mist/vapours/spray. Avoid contact during pregnancy/while nursing. |
| | Wash thoroughly after handling. Do no eat, drink or smoke when using this product. Avoid release to the environment. |
| First Aid Measures: | IF exposed or concerned: Get medical advice/attention. Collect spillage. |
| Disposal: | Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes. |

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS # | PERCENT | Classification | Note |
|------------------------------|------------|---------|--|------|
| C14-17, chlorinated paraffin | 85535-85-9 | 10 - 30 | Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | |
| | | | Acute Tox. 4; H302 | |

*This product contains one or more materials that may be hazardous when present as an airborne dust. During normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur.



SAFETY DATA SHEET

FOSTER 46-00 802328PM

Unlisted ingredients are not 'hazardous' per the Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200) and/or are not found on the Canadian Workplace Hazardous Materials Information System ingredient disclosure list. See Section 8 for exposure limit guidelines.

SECTION 4: FIRST AID MEASURES

IF IN EYES: Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing.

IF ON SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

IF INHALED: Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis that may be fatal.

SECTION 5: FIRE FIGHTING MEASURES

| EXTINGUISHING MEDIA: |
|-------------------------------------|
| UNUSUAL FIRE AND EXPLOSION HAZARDS: |

Use water spray, foam, dry chemical or carbon dioxide. There is a possibility of pressure buildup in closed containers when heated. Water spray may be used to cool the containers. Persons exposed to products of combustion should wear selfcontained breathing apparatus and full protective equipment. Carbon dioxide, Carbon monoxide Chlorine containing gases

SPECIAL FIRE FIGHTING INSTRUCTIONS:

HAZARDOUS COMBUSTION PRODUCTS:

SECTION 6: ACCIDENTAL RELEASE MEASURES

| SPECIAL PROTECTION: | No adverse health effects expected from the clean-up of spilled material. Follow personal protective equipment recommendations found in Section 8 of this MSDS. |
|-----------------------|--|
| METHODS FOR CLEAN-UP: | Dike if necessary, contain spill with inert absorbent and transfer to containers for disposal. Keep spilled product out of sewers, watersheds, or water systems. |

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

SECTION 7: HANDLING AND STORAGE

Handling: No special handling instructions due to toxicity.

Storage: Store in a cool, dry place.Protect from freezing Consult the Technical Data Sheet for specific storage instructions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS:

| | r | | |
|-------------------|------------------|--|--|
| Chemical Name | Note | ACGIH EXPOSURE LIMITS | OSHA PEL |
| Calcium carbonate | * (see below) | No data available. | 15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction) |
| Kaolin clay | * (see | 2 mg/m3 TWA (particulate matter | 15 mg/m3 TWA (total dust); 5 mg/m3 TWA |
| | below) | containing no asbestos and <1% crystalline | (respirable fraction) |



FOSTER 46-00 802328PM

SAFETY DATA SHEET

| | | silica, respirable fraction) | |
|--------------------|------------------|---------------------------------------|---|
| Titanium dioxide | * (see below) | 10 mg/m3 TWA | 15 mg/m3 TWA (total dust) |
| Crystalline silica | * (see below) | 0.025 mg/m3 TWA (respirable fraction) | ((250)/(%SiO2 + 5) mppcf TWA (respirable)); ((10)/(%SiO2 + 2) mg/m3 TWA (respirable)); ((30)/(%SiO2 + 2) mg/m3 TWA (total dust)) |

*This product contains one or more materials that may be hazardous when present as an airborne dust. During normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur.

ENGINEERING CONTROL METHODS:

| VENTILATION: | Use local exhaust ventilation or other engineering controls to minimize exposures. |
|-------------------------|--|
| EYE PROTECTION: | Wear safety glasses when handling this product. |
| SKIN PROTECTION: | Not normally required. Wear chemically resistant gloves to prevent prolonged or repeated contact. |
| GLOVES: | Not normally required. Use nitrile gloves if conditions warrant. |
| RESPIRATORY PROTECTION: | Respiratory protection may be required to avoid overexposure when handling this product. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Respirators should be selected by and used following requirements found in OSHA's respirator standard (29 CFR 1910.134). |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| PHYSICAL STATE: | Liquid |
|--|------------------------------|
| COLOR: | White |
| ODOR: | Sweet Mild |
| ODOR THRESHOLD: | Not established |
| pH: | Not established |
| FREEZING/MELTING POINT (deg. C): | Not established |
| BOILING POINT (deg. C): | Not established |
| FLASH POINT: | Non flammable |
| EVAPORATION RATE: | Not established |
| FLAMMABILITY: | Not a flammable solid or gas |
| UPPER EXPLOSIVE LIMIT (% in air): | Not established |
| LOWER EXPLOSIVE LIMIT (% in air): | Not established |
| VAPOR PRESSURE (mm Hg): | Not established |
| VAPOR DENSITY: | Not established |
| WEIGHT PER GALLON (lbs.): | 11.40 |
| SPECIFIC GRAVITY: | 1.370 |
| SOLUBILITY: | Not established |
| OCTANOL/WATER COEFFICIENT: | Not established |
| AUTOIGNITION TEMPERATURE: | Not established |
| DECOMPOSITION TEMPERATURE: | Not established |
| VISCOSITY: | No data available. |
| SOLIDS (% by weight): | 60.5 |
| VOC, weight percent | 1.73 |
| VOC, U.S. EPA Method 24, less water and exempt | 39.2g/liter of material |
| solvents (theoretically determined) | - |
| · · · · · · · · · · · · · · · · · · · | |



FOSTER 46-00 802328PM

SAFETY DATA SHEET

SECTION 10: STABILITY AND REACTIVITY

STABILITY: CHEMICAL INCOMPATIBILITY: HAZARDOUS POLYMERIZATION: HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide Chlorine

Stable under normal conditions. Not established Will not occur. containing gases

SECTION 11: TOXICOLOGICAL INFORMATION

Component Toxicity / Toxicology Data:

| COMPONENT NAME | LD50/LC50 |
|------------------------------|------------------------------|
| Water | ORAL LD50 RAT > 90 ML/KG |
| Calcium carbonate | ORAL LD50 RAT 6,450 MG/KG |
| C14-17, chlorinated paraffin | ORAL LD50 RAT 2,000 MG/KG |
| Titanium dioxide | ORAL LD50 RAT > 10,000 MG/KG |

This product is a mixture. Unless noted, the information below is based on components.

Skin corrosion / irritation: Can cause minor skin irritation, defatting, and dermatitis.

Serious eye damage / irritation :Can cause minor irritation, tearing and reddening.

Respiratory / skin sensitization: No data available.

Germ cell mutagenicity: No data available.

Carcinogenicity: Contains a material that may cause cancer.

Reproductive toxicity: No data available.

Specific target organ toxicity-single exposure: No data available.

Respiratory irritation / Narcotic effects: No data available.

Specific target organ toxicity-repeated exposure: No data available.

Target organs potentially affected by exposure: Kidneys Liver Lungs

Aspiration hazard: No data available.

Medical Conditions Aggravated by Exposure: Liver disease, Kidney disease, Lung disease

SECTION 12: ECOLOGICAL INFORMATION

| OVERVIEW: | No ecological information available for this product. |
|-------------------------|---|
| MOBILITY: | No data available. |
| PERSISTENCE: | No data available. |
| BIOACCUMULATION: | No data available. |

This product has not been tested for ecological effects. Relevant information for components is listed below:

| Component: | Ecotoxicity values: |
|--------------------|---------------------------|
| No data available. | Acute Toxicity (Fish): |
| | Acute Toxicity (Daphnia): |
| | Acute Toxicity (Algae): |



SAFETY DATA SHEET

FOSTER 46-00 802328PM

SECTION 13: DISPOSAL CONSIDERATIONS

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.

SECTION 14: TRANSPORT INFORMATION

Consult Bill of Lading for transportation information.

| US DOT: | NOT REGULATED |
|---------|---|
| IATA: | NOT REGULATED |
| IMDG: | UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCES, |
| | LIQUID, N.O.S. (C14-C17 CHLORINATED PARAFFIN), 9, III, MARINE |
| | POLLUTANT. (PACKAGES LESS THAN 5 LITERS: "LTD QTY"). |

SECTION 15: REGULATORY INFORMATION

| This product is in compliance with the Toxic Substances Control Act's |
|---|
| Inventory requirements. |
| The components of this product are included on the DSL or are exempt |
| from DSL requirements. |
| As a result of the introduction of REACH into Europe, this product |
| cannot be imported into Europe unless the REACH requirements are |
| met. |
| This product contains a component that is not on the Australian |
| Inventory (AICS). |
| |

If you need more information about the inventory status of this product call 651-236-5858.

This product may contain chemical substances that are regulated for export by various government agencies (such as the Environmental Protection Agency, the Bureau of Industry and Security, or the Drug Enforcement Administration, among others). Before exporting this product from the USA or Canada, we recommend you contact us at reg.request@hbfuller.com to request an export review.

FEDERAL REPORTING

EPA SARA Title III Section 313

Unless listed below, this product does not contain toxic chemical(s) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR part 372. EPA has advised that when a percentage range is listed the midpoint may be used to fulfill reporting obligations.

 Chemical Name
 CAS#
 %

STATE REPORTING

Proposition 65, The Safe Drinking Water and Toxic Enforcement Act of 1986:

Unless listed below, this product does not contain known levels of any chemical known to the State of California to cause cancer or reproductive harm.

| Chemical Name/List | | CAS | Percent | |
|--------------------|--------------|------------|--------------|--|
| Titanium dioxide | (Carcinogen) | 13463-67-7 | 1 - 5 | |
| Quartz | (Carcinogen) | 14808-60-7 | 0.1 - 1 | |
| Cumene | (Carcinogen) | 98-82-8 | 0.001 - 0.01 | |
| Naphthalene | (Carcinogen) | 91-20-3 | 0.001 - 0.01 | |
| ethylbenzene | (Carcinogen) | 100-41-4 | 0.001 - 0.01 | |
| Formaldehyde | (Carcinogen) | 50-00-0 | < 10 ppm | |
| Acetaldehyde | (Carcinogen) | 75-07-0 | < 10 ppm | |
| Ethyl acrylate | (Carcinogen) | 140-88-5 | < 10 ppm | |



Page 6 of 6

Print Date: 05-12-2015

FOSTER 46-00 802328PM

SAFETY DATA SHEET

| 1,4-Dioxane | (Carcinogen) | 123-91-1 | < 10 ppm | |
|---------------------|-----------------------|----------|----------|--|
| 2,2'-Iminodiethanol | (Carcinogen) | 111-42-2 | < 10 ppm | |
| Methanol | (Developmental toxin) | 67-56-1 | < 10 ppm | |

Substances of Very High Concern (SVHC) Content:

Unless listed below, this product does not contain SVHC's. tert-Octylphenol, ethoxylated

SECTION 16: OTHER INFORMATION

SDS VERSION DATE: 05-07-2015

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS).

HMIS RATING: HEALTH -- 0 FLAMMABILITY -- 0 REACTIVITY -- 0 See SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for personal protective equipment recommendations.

Prepared by: The Global Regulatory Department Phone: 651-236-5842

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B.Fuller Construction Products, Inc. from its suppliers, and because H.B.Fuller Construction Products, Inc. has no control over the conditions of handling and use, H.B.Fuller Construction Products, Inc. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B.Fuller Construction Products, Inc. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B.Fuller Construction Products, Inc. products to comply with all applicable federal, state and local laws and regulations.