

FOSTER 81-42 W 802395PM

SAFETY DATA SHEET

REVISION DATE: 04-10-2015

SUPERSEDES: 04-10-2015

SECTION 1: IDENTIFICATION OF THE PRODUCT AND SUPPLIER

PRODUCT INFORMATION

PRODUCT: PRODUCT DESCRIPTION: INTENDED USE: PRODUCT IDENTIFIER: FOSTER 81-42 W Adhesive/Coating Adhesive 802395PM

COMPANY INFORMATION

H.B. Fuller Construction Products Inc. 1105 S. Frontenac Street Aurora, IL 60504 Phone: 1-800-552-6225

> Medical Emergency Phone Number (24 Hours): 1-888-853-1758 Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

| GHS Hazard Symbols: | |
|-------------------------|---|
| GHS Classification: | Hazardous to the aquatic environment - Acute Category 2; Hazardous to the aquatic environment - Chronic Category 2 |
| GHS Hazard Phrases: | May cause harm to breast-fed children.; Toxic to aquatic life; Toxic to aquatic life with long lasting effects. |
| GHS Precautions: | |
| Safety Precautions: | Obtain special instructions before use. Do not breathe |
| - | dust/fume/gas/mist/vapours/spray. Avoid contact during pregnancy/while nursing. |
| | Wash thoroughly after handling. Do no eat, drink or smoke when using this product. Avoid release to the environment. |
| First Aid Measures: | IF exposed or concerned: Get medical advice/attention. Collect spillage. |
| Disposal: | Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes. |

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS # | PERCENT | Classification | Note |
|------------------------------|------------|---------|-------------------------|---------------|
| C14-17, chlorinated paraffin | 85535-85-9 | 10 - 30 | Aquatic Acute 1; H400 | |
| - | | | Aquatic Chronic 1; H410 | |
| | | | Acute Tox. 4; H302 | |
| Titanium dioxide | 13463-67-7 | 1 - 5 | Carc. 2; H351 | * (see below) |
| | | | | |
| Ethyl alcohol | 64-17-5 | 1 - 5 | Eye Irrit. 2; H319 | |
| - | | | Flam. Liq. 2; H225 | |

*This product contains one or more materials that may be hazardous when present as an airborne dust. During normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur.



SAFETY DATA SHEET

FOSTER 81-42 W 802395PM

Unlisted ingredients are not 'hazardous' per the Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200) and/or are not found on the Canadian Workplace Hazardous Materials Information System ingredient disclosure list. See Section 8 for exposure limit guidelines.

SECTION 4: FIRST AID MEASURES

IF IN EYES: Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing.

IF ON SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

IF INHALED: Remove to fresh air. Call a physician if symptoms persist.

IF SWALLOWED: Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis that may be fatal.

SECTION 5: FIRE FIGHTING MEASURES

| EXTINGUISHING MEDIA: | Use water spray, foam, dry chemical or carbon dioxide. |
|-------------------------------------|---|
| UNUSUAL FIRE AND EXPLOSION HAZARDS: | |
| | when heated. Water spray may be used to cool the containers. |
| SPECIAL FIRE FIGHTING INSTRUCTIONS: | Persons exposed to products of combustion should wear self- contained breathing apparatus and full protective equipment. |
| ULT DOUG COMPLICATION PRODUCES | • • • • • • • • |
| HAZARDOUS COMBUSTION PRODUCTS: | Chlorine containing gases Carbon dioxide, Carbon monoxide |

SECTION 6: ACCIDENTAL RELEASE MEASURES

| SPECIAL PROTECTION: | No adverse health effects expected from the clean-up of spilled material. Follow personal protective equipment recommendations found in |
|-----------------------|--|
| | Section 8 of this MSDS. |
| METHODS FOR CLEAN-UP: | Dike if necessary, contain spill with inert absorbent and transfer to |
| | containers for disposal. Keep spilled product out of sewers, watersheds, |
| | or water systems. |

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

SECTION 7: HANDLING AND STORAGE

Handling: No special handling instructions due to toxicity.

Storage: Store in a cool, dry place.Protect from freezing Consult the Technical Data Sheet for specific storage instructions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS:

| Chemical Name | Note | ACGIH EXPOSURE LIMITS | OSHA PEL |
|-------------------|------------------|-----------------------|--|
| Calcium carbonate | * (see below) | | 15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction) |



FOSTER 81-42 W 802395PM

SAFETY DATA SHEET

| Kaolin clay | * (see below) | 2 mg/m3 TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable fraction) | 15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction) |
|------------------|------------------|---|--|
| Titanium dioxide | * (see below) | 10 mg/m3 TWA | 15 mg/m3 TWA (total dust) |
| Ethyl alcohol | | No data available. 1000 ppm STEL | 1000 ppm TWA; 1900 mg/m3 TWA |

*This product contains one or more materials that may be hazardous when present as an airborne dust. During normal handling of the product, the material is encapsulated within the product and will not present an exposure risk. Once the product has reached its final state and is abraded or disturbed, dusting and exposure may occur.

ENGINEERING CONTROL METHODS:

| VENTILATION: | Use local exhaust ventilation or other engineering controls to minimize exposures. |
|-------------------------|--|
| EYE PROTECTION: | Wear safety glasses when handling this product. |
| SKIN PROTECTION: | Not normally required. Wear chemically resistant gloves to prevent prolonged or repeated contact. |
| GLOVES: | Not normally required. Use nitrile gloves if conditions warrant. |
| RESPIRATORY PROTECTION: | Respiratory protection may be required to avoid overexposure when handling this product. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Respirators should be selected by and used following requirements found in OSHA's respirator standard (29 CFR 1910.134). |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| PHYSICAL STATE: | Liquid |
|--|------------------------------|
| COLOR: | White |
| ODOR: | Sweet Mild |
| ODOR THRESHOLD: | Not established |
| pH: | Not established |
| FREEZING/MELTING POINT (deg. C): | Not established |
| BOILING POINT (deg. C): | Not established |
| FLASH POINT: | Non flammable |
| EVAPORATION RATE: | Not established |
| FLAMMABILITY: | Not a flammable solid or gas |
| UPPER EXPLOSIVE LIMIT (% in air): | Not established |
| LOWER EXPLOSIVE LIMIT (% in air): | Not established |
| VAPOR PRESSURE (mm Hg): | Not established |
| VAPOR DENSITY: | Not established |
| WEIGHT PER GALLON (lbs.): | 10.40 |
| SPECIFIC GRAVITY: | 1.250 |
| SOLUBILITY: | Not established |
| OCTANOL/WATER COEFFICIENT: | Not established |
| AUTOIGNITION TEMPERATURE: | Not established |
| DECOMPOSITION TEMPERATURE: | Not established |
| VISCOSITY: | No data available. |
| SOLIDS (% by weight): | 42.9 |
| VOC, weight percent | Not determined |
| VOC, U.S. EPA Method 24, less water and exempt | 10g/liter of material |
| solvents (analytically determined) | |
| | |



FOSTER 81-42 W 802395PM

SAFETY DATA SHEET

SECTION 10: STABILITY AND REACTIVITY

STABILITY: CHEMICAL INCOMPATIBILITY: HAZARDOUS POLYMERIZATION:

Stable under normal conditions. Not established Will not occur. HAZARDOUS DECOMPOSITION PRODUCTS: Chlorine containing gases Carbon monoxide, carbon dioxide

SECTION 11: TOXICOLOGICAL INFORMATION

| COMPONENT NAME | LD50/LC50 |
|------------------------------|------------------------------------|
| C14-17, chlorinated paraffin | ORAL LD50 RAT 2,000 MG/KG |
| Calcium carbonate | ORAL LD50 RAT 6,450 MG/KG |
| Titanium dioxide | ORAL LD50 RAT > 10,000 MG/KG |
| Ethyl alcohol | INHALATION LC50-4H RAT 124.70 MG/L |

This product is a mixture. Unless noted, the information below is based on components.

Skin corrosion / irritation: Can cause minor skin irritation, defatting, and dermatitis.

Serious eye damage / irritation :Can cause minor irritation, tearing and reddening.

Respiratory / skin sensitization: No data available.

Germ cell mutagenicity: No data available.

Carcinogenicity: Contains a material that is suspected of causing cancer.

Reproductive toxicity: No data available.

Specific target organ toxicity-single exposure: No data available.

Respiratory irritation / Narcotic effects: No data available.

Specific target organ toxicity-repeated exposure: No data available.

Target organs potentially affected by exposure: Kidneys Liver Lungs Blood Central nervous system

Aspiration hazard: No data available.

Medical Conditions Aggravated by Exposure: Liver disease, Kidney disease, Lung disease, Blood disorders (like anemia)

SECTION 12: ECOLOGICAL INFORMATION

| OVERVIEW: | No ecological information available for this product. |
|------------------|---|
| MOBILITY: | No data available. |
| PERSISTENCE: | No data available. |
| BIOACCUMULATION: | No data available. |

This product has not been tested for ecological effects. Relevant information for components is listed below:

| Component: | Ecotoxicity values: |
|---------------|--|
| Ethyl alcohol | Acute Toxicity (Fish): 96 Hr LC50 Oncorhynchus mykiss: 12.0 - 16.0 mL/L [static]; 96 |
| | Hr LC50 Pimephales promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: |



802395PM

FOSTER 81-42 W

Print Date: 05-11-2015

SAFETY DATA SHEET

13400 - 15100 mg/L [flow-through] Acute Toxicity (Daphnia): 48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static] Acute Toxicity (Algae): Not established

SECTION 13: DISPOSAL CONSIDERATIONS

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.

SECTION 14: TRANSPORT INFORMATION

Consult Bill of Lading for transportation information.

| US DOT: | NOT REGULATED |
|---------|---|
| IATA: | NOT REGULATED |
| IMDG: | UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCES, |
| | LIQUID, N.O.S. (C14-C17 CHLORINATED PARAFFIN), 9, III, MARINE |
| | POLLUTANT |

SECTION 15: REGULATORY INFORMATION

INVENTORY STATUS U.S. EPA TSCA: This product is in compliance with the Toxic Substances Control Act's Inventory requirements. The components of this product are included on the DSL or are exempt CANADIAN CEPA DSL: from DSL requirements. EUROPEAN REACH: As a result of the introduction of REACH into Europe, this product cannot be imported into Europe unless the REACH requirements are met. AUSTRALIA AICS: This product contains a component that is not on the Australian Inventory (AICS). CHINA IECSC INVENTORY: This product is in compliance with the Inventory of Existing Chemical Substances in China (IECSC) requirements.

If you need more information about the inventory status of this product call 651-236-5858.

This product may contain chemical substances that are regulated for export by various government agencies (such as the Environmental Protection Agency, the Bureau of Industry and Security, or the Drug Enforcement Administration, among others). Before exporting this product from the USA or Canada, we recommend you contact us at reg.request@hbfuller.com to request an export review.

FEDERAL REPORTING

EPA SARA Title III Section 313

Unless listed below, this product does not contain toxic chemical(s) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR part 372. EPA has advised that when a percentage range is listed the midpoint may be used to fulfill reporting obligations.

 Chemical Name
 CAS#

STATE REPORTING

Proposition 65, The Safe Drinking Water and Toxic Enforcement Act of 1986:

Unless listed below, this product does not contain known levels of any chemical known to the State of California to cause cancer or reproductive harm.

| Chemical Name/List | | CAS | Percent | |
|--------------------|--------------|------------|------------|--|
| Titanium dioxide | (Carcinogen) | 13463-67-7 | 1 - 5 | |
| Quartz | (Carcinogen) | 14808-60-7 | 0.01 - 0.1 | |



FOSTER 81-42 W 802395PM

SAFETY DATA SHEET

| ISOBUTYL METHYL KETONE | (Carcinogen) | 108-10-1 | 0.01 - 0.1 |
|------------------------|-----------------------|----------|--------------|
| Formaldehyde | (Carcinogen) | 50-00-0 | 0.001 - 0.01 |
| Acetaldehyde | (Carcinogen) | 75-07-0 | 0.001 - 0.01 |
| Methanol | (Developmental toxin) | 67-56-1 | 0.01 - 0.1 |
| Methyl isobutyl ketone | (Developmental toxin) | 108-10-1 | 0.01 - 0.1 |

Substances of Very High Concern (SVHC) Content:

Unless listed below, this product does not contain SVHC's.

SECTION 16: OTHER INFORMATION

SDS VERSION DATE: 04-10-2015

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS).

HMIS RATING: HEALTH -- 0 FLAMMABILITY -- 0 REACTIVITY -- 0 See SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for personal protective equipment recommendations.

Prepared by: The Global Regulatory Department Phone: 651-236-5842

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B.Fuller Construction Products, Inc. from its suppliers, and because H.B.Fuller Construction Products, Inc. has no control over the conditions of handling and use, H.B.Fuller Construction Products, Inc. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B.Fuller Construction Products, Inc. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B.Fuller Construction Products, Inc. products to comply with all applicable federal, state and local laws and regulations.